



# SteakMaker® Grower 36-0

**Specie:** Beef

**Type of Feed:** Supplement

**Form of Feed:** Pellet

**General Description:**

This pelleted supplement is designed for growing and finishing cattle on moderately high grain diets.

PURINA®  
**STEAKMAKER® GROWER 36-0**  
 (For Ruminants Only)  
 SUPPLEMENT FEED FOR GROWER FEEDLOT CATTLE  
**CAUTION: FEED AS DIRECTED**

**GUARANTEED ANALYSIS**

Crude Protein, (Min).....	36.00 %
Crude Fat, (Min).....	1.00 %
Crude Fiber, (Max) .....	15.00 %
Calcium (Ca), (Min) .....	5.00 %
Phosphorus (P), (Min).....	0.80 %
Salt (NaCl), (Min).....	3.50 %
Magnesium (Mg), (Min) .....	0.50 %
Potassium (K), (Min).....	0.70 %
Copper (Cu), ppm, (Min) .....	135
Selenium (Se), ppm, (Min) .....	2.75
Zinc (Zn), ppm (Min).....	467
Vitamin A, I.U./lb, (Min) .....	27,000
Vitamin D, I.U./lb, (Min) .....	6,700
Vitamin E, I.U./lb, (Min).....	35

**FEEDING DIRECTIONS:**

Feed 1.5 pounds per head daily along with grain and good quality forage to growing and finishing cattle.

**CAUTION:**

Store in a dry, well-ventilated area protected from rodents and insects. Do not feed moldy or insect-infested feed to animals as it may cause illness, performance loss or death.

**INGREDIENTS**

Note: ingredients differ by manufacturing plant

Grain Products, Roughage Products (not more than 40%), Calcium Carbonate, Processed Grain By-Products, Salt, Plant Protein Products, Molasses Products, Zinc Sulfate, Manganese Sulfate, Magnesium Oxide, Basic Copper Chloride, Sodium Selenite, Ethylenediamine Dihydriodide, Cobalt Carbonate, Vitamin A Supplement, Vitamin D<sub>3</sub> Supplement, Vitamin E Supplement, Mineral Oil.

**IMPORTANT:**

This product is to be fed only to the animal species as directed on this label. Follow these management practices:

1. Do not allow animals to run out of feed.
2. Provide adequate bunk space for each animal. Feeders/bunks should be well protected and managed to prevent accumulation of fines and wet, moldy feed.
3. When making a ration change, allow 7-10 days for animals to adjust to the new ration.
4. Provide a source of fresh, clean water at all times.
5. Provide mineral and salt free choice.
6. In groups of cattle, there are certain animals that experience chronic bloat or other digestive disturbances and consequently, are poor performers. In addition, excess feed consumption, severe weather changes resulting in erratic feed consumption, and poorly managed feeding practices can increase the incidence of bloat in all cattle. If bloat occurs, please review feed management practices.

**USAGE TIPS:**

SteakMaker® Grower supplement is pelleted, moderate calcium designed to be used in growing/finishing rations.  
 Recommended feeding rates of SteakMaker® Grower supplement is 1.5 pounds per head per day. Thoroughly mix SteakMaker® Grower supplement with the non-medicated ration prior to feeding.